



**12 gal (45 L)
FUEL
CAPACITY**




**2X - KOHLER
ECH980
(999 CC) (EFI)
AIR-COOLED
GASOLINE
ENGINE**



**DIGITAL
READOUTS FOR
ACCURATE FUEL
LEVELS AND
DIAGNOSTICS**



**57.6 IN (146 CM)
6-BLADED
SPIDER**



Scan this QR code to learn more details about this product.

HP205

The HP205 is the most cost effective 10-footer in the industry. With the maximum amount of low-end torque, this machine is a great alternative to the more expensive T4 diesel 10-footers. The lower maintenance costs complement the affordability of the HP205 rider, reducing the cost of ownership.



SPECIFICATIONS

SPECIFICATIONS	HP205
ENGINE	2x - KOHLER ECH980 (999 cc) (EFI)
HORSEPOWER CLASS	37 hp (27.6 kW) per engine
FUEL TYPE	Air-Cooled Gasoline
PANNING PATH WIDTH	117.6 in (299 cm) 10' Class
ROTOR DIAMETER	57.6 in (146 cm) 6-Bladed Spider
MAXIMUM ROTOR SPEED	180 rpm
STEERING CONTROL SYSTEM	Power
FUEL CAPACITY	12 gal (45 L)
RETARDANT CAPACITY	6 gal (23 L)
WEIGHT	2,169 lb (984 kg)
DIMENSIONS (L X W X H)	123.7 x 63.2 x 62.1 (314.2 x 160.5 x 157.7 cm)

PART NO.	MODEL NO.	DESCRIPTION
064650	TR-HP205	Power Steering, Twin 60" (152 cm) 6-blade rotors, 139" (353 cm) panning width, Twin Kohler ECH980 EFI gas 37hp class engines (74 hp total), 4 lights, power retardant spray. 10-180 RPM Rotor Speeds

PART NO.	MODEL NO.	OPTIONAL ACCESSORIES
048770	TR-DJHDX1	Dolly Jacks, Pneumatic Tires, Set of two, 142 lb (64 kg)
064798	TR-LB60-2-3	Lifting Bridle - 6,000 lbs - 2-Point x 3', 17 lb (8 kg)

BLADE & PAN RECOMMENDATIONS

BLADES		HP205
TYPE	PART NO.	DESCRIPTION
FINISH	039831-4	6" x 23" Finish - Silver Series
FLAT FINISH	047973G-4	8" x 23" Finish - Gold Series, COMES WITH THIS MACHINE
COMBO	039846AV-4	8" x 23" Combo - Blue Series
PLASTIC FINISH	048342-4	6" x 23" - Finish - Poly / Steel Backed


PANS		HP205
TYPE	PART NO.	DESCRIPTION
CLIP-ON DISHED	051400	59.25" O.D. - 80° Lip - 6-Blade
SAFETY CATCH DISHED	051402	59.25" O.D. - 80° Lip - 6-Blade
CLIP ON FLAT	047153	59.25" O.D. - 80° Lip - 6-Blade
SAFETY CATCH FLAT	047125	59.25" O.D. - 80° Lip - 6-Blade

TROWEL BLADES

Allen Engineering offers a complete line of finish blades, combination blades, and clip-on float shoes for your walk-behind or ride-on power trowels. We use high-quality steel or composite plastic with six high-strength rivets to maximize blade life. For the flattest floors, trust only Allen Finishing Blades. And, Allen Blades fit most other brands of walkers and riders.



Scan this QR code to learn more details about this product.



HP205		
PART NO.	MODEL NO.	DESCRIPTION
039831-4	TBF6X23S-4	Finish - 6" x 23" - Silver Series - set of 4, 19 lb (9 kg)
039831A-4	TBF6X23B-4	Finish - 6" x 23" - Blue Series - set of 4, 25 lb (11 kg)
048342-4	TBF6X105B4	Plastic Finish - 6" x 23" - Steel Reinforced - set of 4, 26 lb (12 kg)
047973G-4	TBFF8X23V4	Flat Finish - 8" x 23" - Gold Series - set of 4, 28 lb (13 kg)
039846V-4	TBC8X23FS4	Combo - 8" x 23" - Silver Series - set of 4, 11 lb (5 kg)
039846AV-4	TBC8X23-4	Combo - 8" x 23" - Blue Series - set of 4, 26 lb (12 kg)

STEEL FLOAT PANS

Allen Engineering pioneered the use of floating discs (or pans) on riding trowels in 1989 and Allen® Pans remain today the finisher's choice when high FF Numbers are specified on a concrete floor. Allen's flat pan tolerances cut bumps and fill low spots in the concrete floor. Insist on Allen® Steel Pans for your Allen Riders and Walk-Behinds. Made to the same exacting tolerances as the trowels themselves, nothing finishes better.



TWO TYPES OF PANS

Allen offers both Flat (0" to 1/8" dish) and Mild-Dished (1/4" to 3/8" dish) steel pans. This gives contractors even more pan choices from Allen.



Scan this QR code to learn more details about this product.

HP205		
PART NO.	MODEL NO.	DESCRIPTION
047153-10	P6C5914-10	59 1/4" O.D., Universal Flat, 80° Lip Angle, 6-Blade, Clip On (Ten Pack), 1,050 lb (476 kg)
047125-10	P6S5914-10	59 1/4" O.D., Universal Flat, 80° Lip Angle, 6-Blade, Safety Catch (Ten Pack), 1,050 lb (476 kg)
051400-10	P6C5914-10	59 1/4" O.D., Universal Dished, 80° Lip Angle, 6-Blade, Clip On (Ten Pack), 1,190 lb (540 kg)
051402-10	P6S5914-10	59 1/4" O.D., Universal Dished, 80° Lip Angle, 6-Blade, Safety Catch (Ten Pack), 1,190 lb (540 kg)